## JOURNAL OF HUMAN ECOLOGY

International Interdisciplinary Journal of Man-Environment Relationship

J Hum Ecol, 44(1): 9-21 (2013)

DOI: 10.31901/24566608.2013/44.1.02

© Kamla-Raj 2013 PRINT: ISSN 0970-9274 ONLINE: ISSN 2456-6608

## Rangeland Management and Drought Coping Strategies for Livestock Farmers in the Semi-arid Savanna Communal Areas of Zimbabwe

Bethwell Moyo1\*, Sikhalazo Dube2 and Philani Moyo3

<sup>1</sup>Fort Cox College of Agriculture and Forestry, Department of Agriculture, P.O Box 2187, King Williams Town, 5600, South Africa E-mail: bethwellm@gmail.com <sup>2</sup>Agricultural research Council - Animal Production Institute, Irene, 0062, South Africa <sup>3</sup>University of Fort Hare, Department of Sociology, 50 Church Street, East London, 5200, South Africa

KEYWORDS Grazing. Institutions. Perception. Policy. Rangeland Condition. Resettlement Farms

ABSTRACT Communal rangelands in semi-arid areas of Zimbabwe are heavily stocked, poorly managed and drought prone resulting in high livestock losses during drought years. Resettlement interventions attempting to reduce the impact of drought have had little success. This suggests a lack of understanding of the community's view on rangeland condition, use and its drought coping strategies. This study therefore assesses and documents the perceptions of farmers on rangeland condition and improvement; current rangeland management practices and also identifies factors that explain the failed resettlement interventions. The documented drought coping strategies were assessed in relation to the farmers' socio-economic characteristics through a multinomial logistic regression analysis. A single visit survey method was used to gather data through a structured questionnaire in 34 households. Continuous grazing (100%) and open access (68%) were dominant grazing practices, while herding (97%) and stocking rate control (100%) were not practiced. About 60% of the respondents indicated that the rangelands were good in summer, and were very poor in winter (71%). Drought coping strategies included mobility to relief grazing farms (22%), moving animals to key resource areas (16%) and supplementation (54%). Predictors which were significant in explaining drought coping strategies were household herd size, total household income and access to relief grazing farms in winter. Most respondents (60%) view resettlement intervention as a failure since fences were removed and restrictions to access plus grazing management ceased. There is need for community cooperation in the utilization and maintenance of the common pool resources for efficient livestock production.