

## Reconstruction of Stature from Long Bone Lengths

Surinder Nath<sup>1</sup> and Prabha Badkur<sup>2</sup>

<sup>1</sup>*Department of Anthropology, University of Delhi, Delhi 110 007, India*

<sup>2</sup>*Medico Legal Institute, Bhopal 462 001, Madhya Pradesh, India*

**KEYWORDS** Regression Formulate. Reconstruction. Stature. Bone Length

**ABSTRACT** An attempt has been made in the present study to formulate regression formulate for reconstruction of stature using all the six long bones, that is, humerus, radius, ulna, femur, tibia and fibula, belonging to 82 male and 62 female documented skeletons from Bhopal, Madhya Pradesh. A total of 1728 long bones (984 males and 744 females) were measured for maximum length in accordance with the standard measurement technique. The stature was obtained for each skeleton from the documented records. Analysis revealed that the bilateral differences were non-significant for either sex thus the sides were pooled for further analysis which revealed documented stature ( $p < 0.001$ ). It is further observed that all the three lower limb bones exhibit high correlation with stature and a relatively low standard error of estimate for both the sexes as compared to the three bones of the upper limb. Femur provides the best estimate of stature among all the six long bones for either sex as it exhibits the least SEE and the highest correlation with stature. However, a combination of all the six long bones further enhances the value of correlation as well as reduces the SEE which provides a more accurate estimate of stature for both males and females.